

KSE110AP9

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Painted material
EAN code	8017709183820
Hood width	110 cm



Aesthetics

Aesthetic Colour	Universale Cream	Serigraphy colour Logo	Black Embossed
------------------	------------------	------------------------	----------------




Controls

Control setting	Buttons	Led color	White
-----------------	---------	-----------	-------

Programs / Functions

No. of speeds	4
Time-setting options	

Technical Features

  			
No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Stainless steel
Light Power	20 W	Filter replacement indicator	Yes
Free outlet maximum capacity	707 m³/h	Vent outlet	150 mm
Motor power	215 W	Non return valve	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	255	44
Speed 2	333	51
Speed 3	437	57
Speed 4	665	68

Electrical Connection

Electrical connection rating	255 W	Frequency (Hz)	50-60 Hz
Current	15 A	Power supply cable length	1500 mm
Voltage	220-240 V		

Also available

Alternative colours available	Black, Stainless steel	Available colours	KSE110BL, KSE110X
----------------------------------	------------------------	-------------------	-------------------

Optional accessories

Charcoal filter	FLT4
-----------------	------

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.