

KSE110AP9

Product family

Hood Type	Hood
Design	Decorative wall hood
Extraction	T flat
Material	Extraction
EAN code	Painted material
Hood width	8017709183820
Aesthetic	110 cm
Colour	Universale
Serigraphy colour	Cream
Logo	Black
	Embossed




Controls

Control setting	Buttons	Led color	White
-----------------	---------	-----------	-------

Program / Functions

No. of speeds	4
Time-setting options	

Technical Features



No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Stainless steel
Light Power	20 W	Filter replacement indicator	Yes
Free outlet maximum capacity	707 m³/h	Vent outlet	150 mm
Motor power	215 W	Non return valve	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	255	44
Speed 2	333	51
Speed 3	437	57

Speed 4	665	68
---------	-----	----

Electrical Connection

Electrical connection rating	255 W	Frequency (Hz)	50-60 Hz
Current	15 A	Power supply cable length	1500 mm
Voltage	220-240 V		

Also available

Alternative colours available	Black, Stainless steel	Available colours	KSE110BL, KSE110X
--------------------------------------	------------------------	--------------------------	-------------------

Optional accessories

Charcoal filter	FLT4
------------------------	------

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.