

# KSE110AP9

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Painted material
EAN code	8017709183820
Hood width	110 cm



## Aesthetics

Aesthetic Colour	Universale Cream	Serigraphy colour Logo	Black Embossed
------------------	------------------	------------------------	----------------

## Controls

Control setting	Buttons	Led color	White
-----------------	---------	-----------	-------

## Programs / Functions

No. of speeds	4
Time-setting options	

## Technical Features



No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Stainless steel
Light Power	20 W	Filter replacement indicator	Yes
Free outlet maximum capacity	707 m <sup>3</sup> /h	Vent outlet	150 mm
Motor power	215 W	Non return valve	Yes

---

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	255	44
Speed 2	333	51
Speed 3	437	57
Speed 4	665	68

## Electrical Connection

---

Electrical connection rating	255 W	Frequency (Hz)	50-60 Hz
Current	15 A	Power supply cable length	1500 mm
Voltage	220-240 V		

## Also available

---

Alternative colours available	Black, Stainless steel	Available colours	KSE110BL, KSE110X
-------------------------------	------------------------	-------------------	-------------------

## Optional accessories

---

Charcoal filter	FLT4
-----------------	------

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Switch off automatically:** A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



**Warning light(s):** to advise when filters need changing.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.