KSE110AP9

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Painted material
EAN code	8017709183820
Hood width	110 cm
Aesthetic	Universale
Colour	Cream
Serigraphy colour	Black
Logo	Embossed



Controls

Control setting	Buttons	**Led color**	White

Program / Functions

No. of speeds	4
Time-setting options	

Technical Features

No. of lights	2	**No. of filters**	3
Light type	Halogen	**Anti-grease filters**	Stainless steel
Light Power	20 W	**Filter replacement indicator**	Yes
Free outlet maximum capacity	707 m³/h	**Vent outlet**	150 mm
Motor power	215 W	**Non return valve**	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	255	44
Speed 2	333	51
Speed 3	437	57

Speed 4	665	68

Electrical Connection

Electrical connection rating	255 W	**Frequency (Hz)**	50-60 Hz
Current	15 A	**Power supply cable length**	1500 mm
Voltage	220-240 V		

Also available

Alternative colours availible	Black, Stainless steel	**Available colours**	KSE110BL, KSE110X

Optional accessories

Charcoal filter	FLT4

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.