# KSE110AP9

| | |
|---|---|
| **Product family** | Hood |
| **Hood Type** | Decorative wall hood |
| **Design** | T flat |
| **Extraction** | Extraction |
| **Material** | Painted material |
| **EAN code** | 8017709183820 |
| **Hood width** | 110 cm |
| **Aesthetic** | Universale |
| **Colour** | Cream |
| **Serigraphy colour** | Black |
| **Logo** | Embossed |



## Controls

| | | | |
|---|---|---|---|
| **Control setting** | Buttons | **Led color** | White |

## Program / Functions

| | |
|---|---|
| **No. of speeds** | 4 |
| **Time-setting options** | |

## Technical Features

| | | | |
|---|---|---|---|
| **No. of lights** | 2 | **No. of filters** | 3 |
| **Light type** | Halogen | **Anti-grease filters** | Stainless steel |
| **Light Power** | 20 W | **Filter replacement indicator** | Yes |
| **Free outlet maximum capacity** | 707 m³/h | **Vent outlet** | 150 mm |
| **Motor power** | 215 W | **Non return valve** | Yes |

| | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704-2-13 [dBA] |
|---|---|---|
| Speed 1 | 255 | 44 |
| Speed 2 | 333 | 51 |
| Speed 3 | 437 | 57 |

| | | |
|---|---|---|
| Speed 4 | 665 | 68 |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 255 W | **Frequency (Hz)** | 50-60 Hz |
| **Current** | 15 A | **Power supply cable length** | 1500 mm |
| **Voltage** | 220-240 V | | |

## Also available

| | | | |
|---|---|---|---|
| **Alternative colours availible** | Black, Stainless steel | **Available colours** | KSE110BL, KSE110X |

## Optional accessories

| | |
|---|---|
| **Charcoal filter** | FLT4 |

## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.