

KSEC61GRE3

Product family Hood

Hood Type Integrated (semi) hood Design Visible front panel

Extraction Extraction

Material Painted material 8017709348717 EAN code

Aesthetic Universale Colour Stainless steel

Serigraphy colour Black Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features







No. of filters No. of lights 2

LED Light type **Anti-grease filters** Metallic multilayer

Light Power 4 W Charcoal filters included Yes Light color temperature 4000 °K Vent outlet 120 mm scale (°K)

Minimum distance from 650 mm

Free outlet maximum 315 m³/h **GAS** hob

capacity Minimum distance from 450 mm

Motor power 115 W **ELECTRIC hob**

| | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704-2- 13 [dBA] |
|------------|-------------------------------------|--------------------------------------|
| Speed 1 | 170 | 58 |
| Speed 2 | 240 | 66 |

SMEG SPA 25/7/2025



| Speed 305 | 72 |
|-----------|----|
|-----------|----|

Performance / Energy Label

Annual Efficiency 60 kWh/a Airbourne acouistical A- 58 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class C speed (SPEmin) (EEC) Airborne acoustical A-72 dBA Fluid Dynamic Efficiency 10 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 11 lux/W **Energy Efficiency Index** 84,8 Lighting Efficiency Class E Measured air flow rate 167 m³/h (LEC) at best efficiency point **Grease Filtering** 40 % (Qbep) Efficiency (GFE) Measured air pressure 198 Pa **Grease Filtering** G at best efficiency point Efficiency Class (GFEC) Air flow at minumum 170 m³/h Measured electric 92 W speed (Qmin) power input at best Air flow at maximum 305 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 90 lux the light on the cooking surface (Emiddle)

Electrical Connection

Plug (F;E) Schuko Frequency (Hz) 50-60 Hz
Electrical connection 133 W Power supply cable 1500 mm rating length

220-240 V

Also available

Voltage

Alternative colours White, Black Available colours KSEC61NE3 - KSEC61BE3 - available KSEC61XE3

Sound power level at

highest setting (Lwa)

72 dBA

SMEG SPA 25/7/2025



Compatible Accessories



KITFC111 Charcoal filters round Kit 1 piece

SMEG SPA 25/7/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



SMEG SPA 25/7/2025