

## KSEC61GRE3

**Product family** Hood

**Hood Type** Integrated (semi) hood Design Visible front panel

Extraction Extraction

Material Painted material EAN code 8017709348717

Hood width 60 cm **Aesthetic** Universale Colour Stainless steel

Serigraphy colour Black Silk screen Logo



### **Controls**

Control setting Slider

## **Program / Functions**

No. of speeds 3

### **Technical Features**







No. of filters No. of lights 2

LED Light type **Anti-grease filters** Metallic multilayer

**Light Power** 4 W Charcoal filters included Yes Light color temperature 4000 K Vent outlet 120 mm scale (K) Minimum distance from 650 mm

**GAS** hob

Free outlet maximum 315 m<sup>3</sup>/h

capacity Minimum distance from 450 mm

Motor power 115 W **ELECTRIC hob** 

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	170	58
Speed 2	240	66

**SMEG SPA** 23/12/2025



Speed 3	305	72
------------	-----	----

## Performance / Energy Label

**Annual Efficiency** 60 kWh/a Airbourne acouistical A- 58 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class C speed (SPEmin) (EEC) Airborne acoustical A-72 dBA Fluid Dynamic Efficiency 10 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 11 lux/W **Energy Efficiency Index** 84,8 Lighting Efficiency Class E Measured air flow rate 167 m<sup>3</sup>/h (LEC) at best efficiency point **Grease Filtering** 40 % (Qbep) Efficiency (GFE) Measured air pressure 198 Pa **Grease Filtering** G at best efficiency point Efficiency Class (GFEC) Air flow at minumum 170 m<sup>3</sup>/h Measured electric 92 W speed (Qmin) power input at best Air flow at maximum 305 m<sup>3</sup>/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 90 lux the light on the cooking surface (Emiddle)

### **Electrical Connection**

Electrical connection 133 W Power supply cable 1500 mm rating length

50-60 Hz

Voltage 220-240 V Plug (F;E) Schuko

#### Also available

Frequency (Hz)

Alternative colours White, Black Available colours KSEC61NE3 - KSEC61BE3 - available KSEC61XE3

Sound power level at

highest setting (Lwa)

72 dBA

SMEG SPA 23/12/2025



# **Compatible Accessories**



KITFC111 Charcoal filters round Kit 1 piece

SMEG SPA 23/12/2025



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



SMEG SPA 23/12/2025