

KSEC61NE3

Product family Hood

Hood Type Integrated (semi) hood
Design Visible front panel

Extraction Extraction

MaterialPainted materialEAN code8017709343323

Hood width 60 cm

Aesthetic Universale
Colour Black
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features







No. of lights 2 No. of filters 1

Light type LED Anti-grease filters Metallic multilayer

Light Power 4 W Charcoal filters included Yes
Light color temperature 4000 K Vent outlet 120 mm scale (K) Minimum distance from 650 mm

Free outlet maximum 315 m³/h GAS hob

capacity Minimum distance from 450 mm

Motor power 115 W ELECTRIC hob

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	170	58
Speed 2	240	66



Speed 3	305	72
------------	-----	----

Performance / Energy Label

Annual Efficiency 60 kWh/a Airbourne acouistical A- 58 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class C speed (SPEmin) (EEC) Airborne acoustical A-72 dBA Fluid Dynamic Efficiency 10 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 11 lux/W **Energy Efficiency Index** 84,8 Lighting Efficiency Class E Measured air flow rate 167 m³/h (LEC) at best efficiency point **Grease Filtering** 40 % (Qbep) Efficiency (GFE) Measured air pressure 198 Pa **Grease Filtering** G at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 170 m³/h Measured electric 92 W speed (Qmin) power input at best Air flow at maximum 305 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 90 lux the light on the cooking surface (Emiddle)

Electrical Connection

Electrical connection 133 W Power supply cable 1500 mm rating length

50-60 Hz

 $\begin{tabular}{lll} \begin{tabular}{lll} \begin{$

Also available

Frequency (Hz)


Alternative colours White, Stainless steel Available colours KSEC61BE3 - KSEC61XE3 availible

Sound power level at

highest setting (Lwa)

72 dBA







Compatible Accessories



KITFC111 Charcoal filters round Kit 1 piece



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

