

# KSEC61XE3

## Product family

Hood Type	Integrated (semi) hood
Design	Visible front panel
Extraction	Extraction
Material	Painted material
EAN code	8017709343330
Hood width	60 cm
Aesthetic	Universale
Colour	Stainless steel/Black
Serigraphy colour	Black
Logo	Silk screen




## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Metallic multilayer
Light Power	4 W	Charcoal filters included	Yes
Light color temperature scale (K)	4000 K	Vent outlet	120 mm
Free outlet maximum capacity	315 m³/h	Minimum distance from GAS hob	650 mm
Motor power	115 W	Minimum distance from ELECTRIC hob	450 mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	170	58
Speed 2	240	66

Speed 3	305	72
---------	-----	----

## Performance / Energy Label


		
<b>Annual Efficiency Consumption (AEChood)</b>	60 kWh/a	Airbourne acoustical A- weighted sound Power Emission at minimum speed (SPEmin)
<b>Energy efficiency class (EEC)</b>	C	Airborne acoustical A- weighted sound Power Emission at maximum speed (SPEmax)
<b>Fluid Dynamic Efficiency (FDE)</b>	10	Time increase factor (F)
<b>Fluid Dynamic Efficiency class (FDEC)</b>	E	Energy Efficiency Index
<b>Lighting Efficiency (LE)</b>	11 lux/W	Measured air flow rate at best efficiency point (Qbep)
<b>Lighting Efficiency Class (LEC)</b>	E	Measured air pressure at best efficiency point (Pbep)
<b>Grease Filtering Efficiency (GFE)</b>	40 %	Measured electric power input at best efficiency point (Wbep)
<b>Grease Filtering Efficiency Class (GFEC)</b>	G	Nominal Power consumption of the light system (WL)
<b>Air flow at minimum speed (Qmin)</b>	170 m³/h	Average illumination of the light on the cooking surface (Emiddle)
<b>Air flow at maximum speed (Qmax)</b>	305 m³/h	Sound power level at highest setting (Lwa)

## Electrical Connection

<b>Electrical connection rating</b>	133 W	<b>Power supply cable length</b>	1500 mm
<b>Voltage</b>	220-240 V	<b>Plug</b>	Not present
<b>Frequency (Hz)</b>	50-60 Hz		

## Also available

<b>Alternative colours available</b>	White, Black	<b>Available colours</b>	KSEC61NE3 - KSEC61BE3
--------------------------------------	--------------	--------------------------	-----------------------





---

## Compatible Accessories

---



**KITFC111**

Charcoal filters round Kit 1 piece

## Symbols glossary



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Charcoal filters:** Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

