

## KSEC61XE3

Product family Hood

Hood Type Integrated (semi) hood
Design Visible front panel

**Extraction** Extraction

MaterialPainted materialEAN code8017709343330

Aesthetic Universale

Colour Stainless steel/Black

Serigraphy colour Black
Logo Silk screen



#### **Controls**

Control setting Slider

## **Program / Functions**

No. of speeds 3

### **Technical Features**







No. of lights 2 No. of filters 1

Light type LED Anti-grease filters Metallic multilayer

Light Power 4 W Charcoal filters included Yes
Light color temperature 4000 °K Vent outlet 120 mm

scale (°K) Minimum distance from 650 mm

Free outlet maximum 315 m³/h GAS hob

capacity Minimum distance from 450 mm

Motor power 115 W ELECTRIC hob

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	170	58
Speed 2	240	66



Speed 3	305	72
------------	-----	----

## Performance / Energy Label

1	Ą.
	6

**Annual Efficiency** 60 kWh/a Airbourne acouistical A- 58 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class C speed (SPEmin) (EEC) Airborne acoustical A-72 dBA Fluid Dynamic Efficiency 10 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 11 lux/W **Energy Efficiency Index** 84,8 Lighting Efficiency Class E Measured air flow rate 167 m<sup>3</sup>/h (LEC) at best efficiency point **Grease Filtering** 40 % (Qbep) Efficiency (GFE) Measured air pressure 198 Pa **Grease Filtering** G at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 170 m<sup>3</sup>/h Measured electric 92 W speed (Qmin) power input at best Air flow at maximum 305 m<sup>3</sup>/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 90 lux the light on the cooking surface (Emiddle)

### **Electrical Connection**

Plug Not present Frequency (Hz) 50-60 Hz
Electrical connection 133 W Power supply cable 1500 mm rating length

220-240 V

#### Also available

Voltage


Alternative colours White, Black Available colours KSEC61NE3 - KSEC61BE3 availible

Sound power level at

highest setting (Lwa)

72 dBA







# **Compatible Accessories**



KITFC111 Charcoal filters round Kit 1 piece



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

