

# KSEC61XE3

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Visible front panel
Extraction	Extraction
Material	Painted material
EAN code	8017709343330
Hood width	60 cm
Aesthetic	Universale
Colour	Stainless steel/Black
Serigraphy colour	Black
Logo	Silk screen





## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Metallic multilayer
Light Power	4 W	Vent outlet	120 mm
Light color temperature scale (K)	4000 K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	315 m <sup>3</sup> /h	Minimum distance from ELECTRIC hob	450 mm
Motor power	115 W		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	170	58
Speed 2	240	66

Speed 3	305	72
------------	-----	----

## Accessories included



Charcoal filters included Yes

## Performance / Energy Label



Annual Efficiency Consumption (AEC <sub>hood</sub> )	60 kWh/a	Airborne acoustical A-weighted sound Power Emission at minimum speed (SPE <sub>min</sub> )	58 dBA
Energy efficiency class (EEC)	C	Airborne acoustical A-weighted sound Power Emission at maximum speed (SPE <sub>max</sub> )	72 dBA
Fluid Dynamic Efficiency (FDE)	10	Time increase factor (F)	1,6
Fluid Dynamic Efficiency class (FDEC)	E	Energy Efficiency Index	84,8
Lighting Efficiency (LE)	11 lux/W	Measured air flow rate at best efficiency point (Q <sub>bep</sub> )	167 m <sup>3</sup> /h
Lighting Efficiency Class (LEC)	E	Measured air pressure at best efficiency point (P <sub>bep</sub> )	198 Pa
Grease Filtering Efficiency (GFE)	40 %	Measured electric power input at best efficiency point (W <sub>bep</sub> )	92 W
Grease Filtering Efficiency Class (GFEC)	G	Nominal Power consumption of the light system (WL)	8 W
Air flow at minimum speed (Q <sub>min</sub> )	170 m <sup>3</sup> /h	Average illumination of the light on the cooking surface (E <sub>middle</sub> )	90 lux
Air flow at maximum speed (Q <sub>max</sub> )	305 m <sup>3</sup> /h	Sound power level at highest setting (L <sub>wa</sub> )	72 dBA

## Electrical Connection

Electrical connection rating	133 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	Not present
Frequency (Hz)	50-60 Hz		

## Also available

Alternative colours available	White, Black	Available colours	KSEC61NE3 - KSEC61BE3
-------------------------------	--------------	-------------------	-----------------------



---

## Compatible Accessories

---



**KITFC111**

Charcoal filters round Kit 1 piece

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Charcoal filters:** Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.