

KSEC81XE2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Visible front panel
Extraction	Extraction
Material	Stainless Steel + Painted Material
EAN code	8017709274894
Hood width	80 cm



Aesthetics

Aesthetic Colour	Universale Stainless steel	Serigraphy colour Logo	Black Silk screen
------------------	----------------------------	------------------------	-------------------

Controls

Control setting	Slider
-----------------	--------

Programme / Functions

No. of speeds	3
---------------	---

Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	120 mm
Free outlet maximum capacity	300 m³/h	Minimum distance from GAS hob	650 mm
Motor power	125 W	Minimum distance from ELECTRIC hob	500 mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	135	56
Speed 2	200	64
Speed 3	285	69

Performance / Energy Label




Annual Efficiency Consumption (AEChood) 67 kWh/a
Energy efficiency class (EEC) D
Fluid Dynamic Efficiency (FDE) 8,1
Fluid Dynamic Efficiency class (FDEC) E
Lighting Efficiency (LE) 11 lux/W
Lighting Efficiency Class (LEC) E
Grease Filtering Efficiency (GFE) 40 %
Grease Filtering Efficiency Class (GFEC) G
Air flow at minumum speed (Qmin) 135 m³/h
Air flow at maximum speed (Qmax) 285 m³/h

Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin) 56 dB(A)
Airborne acouistical A-weighted sound Power Emission at maximum speed (SPEmax) 69 dB(A)
Time increase factor (F) 1,7
Energy Efficiency Index 90,5
Measured air flow rate at best efficiency point (Qbep) 149 m³/h
Measured air pressure at best efficiency point (Pbep) 193 Pa
Measured electric power input at best efficiency point (Wbep) 99 W
Nominal Power consumption of the light system (WL) 8 W
Average illumination of the light on the cooking surface (Emiddle) 90 lux
Sound power level at highest setting (Lwa) 69 dB(A)

Electrical Connection

Electrical connection rating 133 W
Voltage 220-240 V
Frequency (Hz) 50 Hz
Power supply cable length 1000 mm



Not included accessories



KITFC111

Charcoal filters round Kit 1 piece

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



D: Product energy rating, measured from A+++ to D / G depending on the product family.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.