KSEC91XE3

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Visible front panel
Extraction	Extraction
Material	Stainless Steel + Painted Material
EAN code	8017709343354
Hood width	90 cm
Aesthetic	Universale
Colour	Stainless steel/Black
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Slider

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	1
Light type	LED	**Anti-grease filters**	Metallic multilayer
Light Power	4 W	**Vent outlet**	120 mm
Light color temperature (K)	4000 K	**Minimum distance from GAS hob**	650 mm
Free outlet maximum capacity	315 m³/h	**Minimum distance from ELECTRIC hob**	450 mm
Motor power	115 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	170	58
Speed 2	240	66

Speed 3	305	72

Accessories included



Charcoal filters included Yes

Performance / Energy Label




Annual Efficiency Consumption (AEChood)	60 kWh/a
Energy efficicency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	10
Fluid Dynamic Efficiency class (FDEC)	E
Lighting Efficiency (LE)	11 lux/W
Lighting Efficiency Class (LEC)	E
Grease Filtering Efficiency (GFE)	40 %
Grease Filtering Efficiency Class (GFEC)	G
Air flow at minumum speed (Qmin)	170 m³/h
Air flow at maximum speed (Qmax)	305 m³/h

Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	58 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	72 dBA
Time increase factor (F)	1,6
Energy Efficiency Index	84,8
Measured air flow rate at best efficiency point (Qbep)	167 m³/h
Measured air pressure at best efficiency point (Pbep)	198 Pa
Measured electric power input at best efficiency point (Wbep)	92 W
Nominal Power consumption of the light system (WL)	8 W
Average illumination of the light on the cooking surface (Emiddle)	90 lux
Sound power level at highest setting (Lwa)	72 dBA

Electrical Connection

Electrical connection rating	133 W
Voltage	220-240 V
Frequency (Hz)	50 Hz

Power supply cable length	1500 mm
Plug	Not present


598 - 798 - 898
Ø100-120
16
35
44
234
16
16
85
26
47
234
341
150
490
525

Compatible Accessories



KITFC111

Charcoal filters round Kit 1 piece

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.