

# KSED95MBL

Product family Hood

Hood Type Decorative wall hood

DesignChimneyExtractionExtractionMaterialPainted material

Type of steel Brushed

**EAN code** 8017709346324

Hood width 90 cm

Aesthetic Victoria

Colour Matt Black
Finishing Black
Logo Silk screen



### **Controls**

Control setting Slider

### **Program / Functions**

No. of speeds 3

#### **Technical Features**





No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature4000 KMinimum distance from750 mm

scale (K) GAS hob

Free outlet maximum 595 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 200 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	328	50
Speed 2	420	57

SMEG SPA 12/6/2025



Speed 3	588	65
------------	-----	----

### Performance / Energy Label

**Annual Efficiency** 54 kWh/a Airbourne acouistical A- 50 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class B speed (SPEmin) (EEC) Airborne acoustical A-Fluid Dynamic Efficiency 25,3 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency B speed (SPEmax) class (FDEC)

Time increase factor (F) 1,1 Lighting Efficiency (LE) 74 lux/W **Energy Efficiency Index** 61,2 Lighting Efficiency Class A

65 dBA

Measured air flow rate 318,4 m<sup>3</sup>/h (LEC) at best efficiency point **Grease Filtering** 70.8 % (Qbep)

Efficiency (GFE) Measured air pressure 375 Pa **Grease Filtering** D at best efficiency point

Efficiency Class (GFEC) Air flow at minumum 328 m<sup>3</sup>/h

Measured electric 131 W speed (Qmin) power input at best Air flow at maximum 588 m<sup>3</sup>/h efficiency point (Wbep)

speed (Qmax) **Nominal Power** 2.2 W consumption of the light

system (WL) Average illumination of 164 lux

> the light on the cooking surface (Emiddle) Sound power level at 65 dBA

highest setting (Lwa)

**Electrical Connection** 

**Electrical connection** 202 W Power supply cable 1000 mm length rating

220-240 V Plug Voltage Not present Frequency (Hz) 50-60 Hz

Also available

Stainless steel, Anthracite, **Available colours** KSED95XE - KSED95AE -Alternative colours available Red Wine KSED95RWE

**SMEG SPA** 12/6/2025



## **Compatible Accessories**

#### FLT6

Round Charcoal filters (kit 2 pieces)





#### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

SMEG SPA 12/6/2025



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 12/6/2025