

KSED95NEE

Product family Hood

Hood Type Chimney Cooker Hoods

Design Chimney

Extraction Ducted out or re-circulation possible

Material Painted material

Type of steel Brushed

EAN code 8017709235062

Hood width 90 cm

Aesthetics Victoria

Colour Black

Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight power1 WVent outlet150 mmLight colour4000 KMinimum distance from
750 mm

temperature scale (K) GAS hob

Free outlet maximum 595 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 200 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	328	50
Speed 2	420	57



Speed 588	65
-----------	----

Performance / Energy Label

_	tr-
<	Ť

Annual Efficiency 54 kWh/year Airbourne acouistical A- 50 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficiency class (B speed (SPEmin) EEC) Airborne acoustical A-65 dBA Fluid Dynamic Efficiency 25,3 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency B speed (SPEmax) class (FDEC) Time increase factor (F) Lighting Efficiency (LE) 74,3 lux/W **Energy Efficiency Index** Lighting Efficiency Class A per first cavity (LEC) Measured air flow rate 318 m³/h **Grease Filtering** 70.8 % at best efficiency point Efficiency (GFE) (Qbep) **Grease Filtering** D Measured air pressure 375 Pa **Efficiency Class (GFEC)** at best efficiency point Air flow at minumum 328 m³/h (Qbep) speed (Qmin) Measured electric 131 W Maximum extraction 588 m³/h power input at best rate efficiency point (Wbep) Normal Power of the 2 W light system (WI) Average illumination of 164 lux the light on the cooking surface (Emiddle) Sound power level at 65 dBA

Electrical Connection


Nominal power 202 W Frequency (Hz) 50-60 Hz Voltage 220-240 V Power supply cable 1000 mm length

Also available

Alternative colours Stainless steel, Anthracite, Available colours KSED95XE - KSED95AE - availible Red Wine KSED95RWE

highest setting (Lwa)







Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.