

KSED95NEE

Product family Hood

Hood Type Decorative wall hood

DesignChimneyExtractionExtractionMaterialPainted material

Type of steel Brushed

EAN code 8017709235062

Hood width90 cmAestheticVictoriaColourBlackLogoSilk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature4000 KMinimum distance from750 mm

scale (K) GAS hob

Free outlet maximum 595 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 200 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	328	50
Speed 2	420	57



Speed 3	588	65
------------	-----	----

Performance / Energy Label

_/	tr
	Ť

Annual Efficiency 54 kWh/a Airbourne acouistical A- 50 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class B speed (SPEmin) (EEC) Airborne acoustical A-65 dBA Fluid Dynamic Efficiency 25,3 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency B speed (SPEmax) class (FDEC) Time increase factor (F) 1,1 Lighting Efficiency (LE) 74,3 lux/W **Energy Efficiency Index** 61,2 Lighting Efficiency Class A Measured air flow rate 318 m³/h (LEC) at best efficiency point **Grease Filtering** 70.8 % (Qbep) Efficiency (GFE) Measured air pressure 375 Pa **Grease Filtering** D at best efficiency point Efficiency Class (GFEC) Air flow at minumum 328 m³/h Measured electric 131 W speed (Qmin) power input at best Air flow at maximum 588 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 2 W consumption of the light system (WL) Average illumination of 164 lux the light on the cooking surface (Emiddle)

Electrical Connection

Electrical connection 202 W Power supply cable 1000 mm rating length

50-60 Hz

Voltage 220-240 V Plug Not present

Also available

Frequency (Hz)


Alternative colours Stainless steel, Anthracite, Available colours KSED95XE - KSED95AE - available Red Wine KSED95RWE

Sound power level at

highest setting (Lwa)

65 dBA







Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.