

KSED95PE

Product family Hood

Hood Type Decorative wall hood

Design Chimney
Extraction Extraction
Material Painted material
Type of steel Brushed

EAN code 8017709206093

Hood width 90 cm
Aesthetic Universale
Colour Cream
Logo Embossed



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature4000 KMinimum distance from750 mm

scale (K) GAS hob

Free outlet maximum 595 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 200 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	328	50
Speed 2	420	57



Speed 588	65
-----------	----

Performance / Energy Label

Annual Efficiency 54 kWh/a Consumption (AEChood) Energy efficieency class B (EEC)

Fluid Dynamic Efficiency 25.3 (FDE)

Fluid Dynamic Efficiency B class (FDEC)

Lighting Efficiency (LE) 74.3 lux/W

Lighting Efficiency Class A (LEC)

Grease Filtering Efficiency (GFE)

Grease Filtering

Air flow at minumum

Air flow at maximum speed (Qmax)

70.8 %

D Efficiency Class (GFEC)

328 m³/h speed (Qmin)

588 m³/h

202 W

Airbourne acouistical A- 50 dBA

weighted sound Power **Emission at minimum** speed (SPEmin)

Airborne acoustical A-65 dBA weighted sound Power

Emission at maximum speed (SPEmax)

Time increase factor (F) 1.1 **Energy Efficiency Index** 61.2 Measured air flow rate 318 m³/h

at best efficiency point (Qbep)

Measured air pressure at best efficiency point

(Pbep)

Measured electric

power input at best efficiency point (Wbep)

Nominal Power consumption of the light

system (WL) Average illumination of

the light on the cooking surface (Emiddle)

Sound power level at highest setting (Lwa) 65 dBA

164 lux

375 Pa

131 W

2 W

Electrical Connection

Electrical connection

rating

220-240 V Voltage Frequency (Hz) 50-60 Hz

Power supply cable

length

Plug

1000 mm

Not present

Also available


Alternative colours available

Black, Stainless steel, Anthracite, Red Wine

Available colours

KSED95NEE - KSED95XE -KSED95AE - KSED95RWE







Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.