KSEG24XU

Product family	Hood
Hood Type	Insert hood
Design	Fully-Integrated
EAN code	8017709296834
Hood width	24 "
Aesthetics	Universal
Color	Silver
Silkscreen color	Black
Logo	Silkscreened



Controls

Control setting	Slider

Program / Functions

Speed levels	3
Other options	Recirculating KIT accessory


Technical Features

No. of lights	2	**No. of filters**	1
Lighting	LED	**Anti-grease filters**	Aluminum
Light power	5 W	**Vent outlet**	4 3/4 "
Light color temperature scale (K)	3000 K	**Minimum distance from gas cooktop**	750 "
Maximum extraction capacity at free mode	200 CFM	**Minimum distance from electric cooktop**	600 "
Motor power	110 W	**Non-return valve**	Yes


	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	90	55
Speed 2	150	64
Speed 3	200	71

Electrical Connection

Voltage	110-127 V	**Power supply cable length**	1000 "
Frequency (Hz)	60 Hz	**Plug**	(A) USA & Mexico



Compatible Accessories



KITFC142

Charcoal filters SQUARE Kit 2 pieces

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.