

# KSEG30XU

Product family Hood Type Design EAN code Aesthetic Colour Serigraphy colour Logo Hood Integrated hood Fully integrated 8017709296841 Universale Silver Black Silk screen



#### Controls

Control setting

Slider

#### **Program / Functions**

No. of speeds3Other optionsRecircul

3 Recirculating KIT accessory

#### **Technical Features**

- <u> </u>	
No. of lights	2
Light type	LED
Light Power	5 W
Light color temperature scale (°K)	3000 °K
Free outlet maximum	200 CFM
capacity	
Motor power	110 W

No. of filters	2
Anti-grease filters	Aluminium
Vent outlet	4 3/4 "
Minimum distance from GAS hob	750 "
Minimum distance from ELECTRIC hob	600 "
Non return valve	Yes

_	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	90	55
Speed 2	150	64



Speed 3	200	71
------------	-----	----

### **Electrical Connection**

Plug Voltage	(A) USA e Messico 110-127 V	Frequency (Hz) Power supply cable length	60 Hz 1000 "
JUN T	<u>Ø4" 11/16</u> <u>17" 3/4</u> <u>26" 9/16</u> <u>27" 9/16</u>		



# **Compatible Accessories**

KITFC142



Charcoal filters SQUARE Kit 2 pieces



## Symbols glossary

Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.