

KSEG30XU

Product family Hood
Hood Type Insert hood
Design Fully-integrated
EAN code 8017709296841

Hood width 30 "
Aesthetics Universal

Color Silver Silkscreen color Black

Logo Silkscreened



Controls

Control setting Slider

Program / Functions

Speed levels 3

Other options Recirculating KIT accessory

Technical Features





No. of lights 2 No. of filters 2

LightingLEDAnti-grease filtersAluminumLight power5 WVent outlet4 3/4 "Light color temperature3000 KMinimum distance from750 "

scale (K) gas cooktop

Maximum extraction 200 CFM Minimum distance from 600 "

capacity at free mode electric cooktop

Motor power 110 W Non-return valve Yes


	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	90	55
Speed 2	150	64
Speed 3	200	71



Electrical Connection

Voltage 110-127 V Power supply cable 1000 " Frequency (Hz) 60 Hz length

Frequency (Hz) 60 Hz length
Plug (A) USA & Mexico





Compatible Accessories

KITFC142



Charcoal filters SQUARE Kit 2 pieces



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.