

# KSEGU24X

Product family	Hood
Hood Type	Integrated hood
Design	Fully integrated
Material	Painted material
EAN code	8017709210892
Hood width	24 "



## Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------

## Controls

Control setting	Slider
-----------------	--------

## Programs / Functions

No. of speeds	3
---------------	---

## Technical Features




No. of lights	2	Anti-grease filters	Aluminium
Light type	Halogen	Vent outlet	4 3/4 "
Light Power	40 W	Minimum distance from GAS hob	750 "
Free outlet maximum capacity	235.5 CFM	Minimum distance from ELECTRIC hob	600 "
Motor power	110 W	Non return valve	Yes
No. of filters	2		

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	88.5	59
Speed 2	141.5	65
Speed 3	200	71

Electrical Connection


Electrical connection rating	190 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "



---

## Not included accessories

---



KITFC142

Charcoal filters SQUARE Kit 2 pieces

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.