

KSEGU24X

Product family	Hood
Hood Type	Insert hood
Design	Fully-Integrated
Material	Painted material
EAN code	8017709210892
Hood width	24 "
Aesthetics	Universal
Color	Silver
Silkscreen color	Black
Logo	Silkscreened



Controls

Control setting	Slider
-----------------	--------

Program / Functions

Speed levels	3
--------------	---


Technical Features

		No. of lights	2	Anti-grease filters	Aluminum
		Lighting	Halogen	Vent outlet	4 3/4 "
		Light power	40 W	Minimum distance from gas cooktop	750 "
		Maximum extraction capacity at free mode	235.5 CFM	Minimum distance from electric cooktop	600 "
		Motor power	110 W	Non-return valve	Yes
		No. of filters	2		


	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	88.5	59
Speed 2	141.5	65
Speed 3	200	71

Electrical Connection

Electrical connection rating	190 W	Power supply cable length	1000 "
Voltage	120 V	Plug	No
Frequency (Hz)	60 Hz		



Compatible Accessories



KITFC142

Charcoal filters SQUARE Kit 2 pieces

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.