

KSEGU24X

Product family Hood
Hood Type Insert hood
Design Fully-integrated
Material Painted material
EAN code 8017709210892
Hood width 24 "



Aesthetic

AestheticsUniversalSilkscreen colorBlackColorSilverLogoSilkscreened

Controls

Control setting Slider

Programs / Functions

Speed levels 3

Technical Features



No. of lights 2 Anti-grease filters Aluminum
Lighting Halogen Vent outlet 4 3/4 "
Light power 40 W Minimum distance from 750 "

Maximum extraction 235.5 CFM gas cooktop

capacity at free mode

Motor power 110 W electric cooktop

Motor power 110 W electric cooktop

No. of filters 2 Non-return valve Yes


	Extraction rate [CFM]	Noise level [dB(A)]
Speed level 1	88.5	59



Speed 2	141.5	65
Speed 3	200	71

Electrical Connection

Electrical connection 190 W Frequency (Hz) 60 Hz rating Power supply cable 1000 " Voltage 120 V length





Not included accessories

KITFC142



Charcoal filters SQUARE Kit 2 pieces



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.