

KSEIR62BE2

Product family Hood

Hood Type Integrated (semi) hood

Design Fully integrated

Extraction

Material Painted material 8017709275112 EAN code

Hood width 60 cm



Aesthetics

Extraction

Universale Serigraphy colour **Aesthetic** Black Colour White Logo Silk screen

Controls

Slider Control setting

Programme / Functions

3 No. of speeds

Technical Features



No. of lights 2 Light type **LED**

Light Power 4 W 235 m³/h

Free outlet maximum

capacity

115 W Motor power

No. of filters

Anti-grease filters Integrated filter

Vent outlet 120 mm Minimum distance from 650 mm

GAS hob

Minimum distance from

ELECTRIC hob

500 mm



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]	
Speed 1	115	52	
Speed 2	160	59	
Speed 3	225	68	

Performance / Energy Label

D

Annual Efficiency 71 kWh/a Airbourne acouistical A- 52 dB(A) Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class D speed (SPEmin) (EEC) Airborne acoustical A-68 dB(A) Fluid Dynamic Efficiency 8,1 weighted sound Power (FDE) Emission at maximum Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1.7 Lighting Efficiency (LE) 9 lux/W **Energy Efficiency Index** 91,6 Lighting Efficiency Class E Measured air flow rate 125 m³/h (LEC) at best efficiency point **Grease Filtering** 40 % (Qbep) Efficiency (GFE) Measured air pressure 244 Pa **Grease Filtering** at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 115 m³/h Measured electric 105 W speed (Qmin) power input at best Air flow at maximum 225 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 70 lux the light on the cooking surface (Emiddle)

Electrical Connection

Electrical connection 123 W Frequency (Hz) 50 Hz rating Power supply cable 1000 mm Voltage 220-240 V length

Also available


Alternative colours	Grey, Black	Available colours	KSEIR62SE2 - KSEIR62NE2
availible			

Sound power level at

highest setting (Lwa)

68 dB(A)







Not included accessories

KITFC31



Charcoal filters round Kit 1 piece



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



D: Product energy rating, measured from A+++ to D / G depending on the product family.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.