

# KSEIR62BE2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709275112
Hood width	60 cm
Aesthetic	Universale
Colour	White
Serigraphy colour	Black
Logo	Silk screen





## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Integrated filter
Light Power	4 W	Vent outlet	120 mm
Free outlet maximum capacity	235 m <sup>3</sup> /h	Minimum distance from GAS hob	650 mm
Motor power	115 W	Minimum distance from ELECTRIC hob	500 mm

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	115	52
Speed 2	160	59
Speed 3	225	68

## Performance / Energy Label




<b>Annual Efficiency Consumption (AEC<sub>hood</sub>)</b>	71 kWh/a	<b>Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPE<sub>min</sub>)</b>	52 dBA
<b>Energy efficiency class (EEC)</b>	D	<b>Airborne acoustical A-weighted sound Power Emission at maximum speed (SPE<sub>max</sub>)</b>	68 dBA
<b>Fluid Dynamic Efficiency (FDE)</b>	8,1	<b>Time increase factor (F)</b>	1,7
<b>Fluid Dynamic Efficiency class (FDEC)</b>	E	<b>Energy Efficiency Index</b>	91,6
<b>Lighting Efficiency (LE)</b>	9 lux/W	<b>Measured air flow rate at best efficiency point (Q<sub>bep</sub>)</b>	125 m <sup>3</sup> /h
<b>Lighting Efficiency Class (LEC)</b>	E	<b>Measured air pressure at best efficiency point (P<sub>bep</sub>)</b>	244 Pa
<b>Grease Filtering Efficiency (GFE)</b>	40 %	<b>Measured electric power input at best efficiency point (W<sub>bep</sub>)</b>	105 W
<b>Grease Filtering Efficiency Class (GFEC)</b>	G	<b>Nominal Power consumption of the light system (WL)</b>	8 W
<b>Air flow at minumum speed (Q<sub>min</sub>)</b>	115 m <sup>3</sup> /h	<b>Average illumination of the light on the cooking surface (E<sub>middle</sub>)</b>	70 lux
<b>Air flow at maximum speed (Q<sub>max</sub>)</b>	225 m <sup>3</sup> /h	<b>Sound power level at highest setting (L<sub>wa</sub>)</b>	68 dBA

## Electrical Connection

<b>Electrical connection rating</b>	123 W	<b>Power supply cable length</b>	1000 mm
<b>Voltage</b>	220-240 V	<b>Plug</b>	Not present
<b>Frequency (Hz)</b>	50 Hz		

## Also available

<b>Alternative colours available</b>	Grey, Black	<b>Available colours</b>	KSEIR62SE2 - KSEIR62NE2
--------------------------------------	-------------	--------------------------	-------------------------



---

## Compatible Accessories

---

**KITFC31**

Charcoal filters round Kit 1 piece



---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

