

# KSEIR62NE2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709275099
Aesthetic	Universale
Colour	Black
Serigraphy colour	Silver
Logo	Silk screen





## Controls

Control setting	Slider
-----------------	--------

## Programs / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Integrated filter
Light Power	4 W	Vent outlet	120 mm
Free outlet maximum capacity	235 m <sup>3</sup> /h	Minimum distance from GAS hob	650 mm
Motor power	115 W	Minimum distance from ELECTRIC hob	500 mm

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	115	52
Speed 2	160	59
Speed 3	235	68

## Performance / Energy Label




<b>Annual Efficiency Consumption (AEC<sub>hood</sub>)</b>	71 kWh/a	<b>Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPE<sub>min</sub>)</b>	52 dBA
<b>Energy efficiency class (EEC)</b>	D	<b>Airborne acoustical A-weighted sound Power Emission at maximum speed (SPE<sub>max</sub>)</b>	68 dBA
<b>Fluid Dynamic Efficiency (FDE)</b>	8.1	<b>Time increase factor (F)</b>	1.7
<b>Fluid Dynamic Efficiency class (FDEC)</b>	E	<b>Energy Efficiency Index</b>	91.6
<b>Lighting Efficiency (LE)</b>	9 lux/W	<b>Measured air flow rate at best efficiency point (Q<sub>bep</sub>)</b>	125 m <sup>3</sup> /h
<b>Lighting Efficiency Class (LEC)</b>	E	<b>Measured air pressure at best efficiency point (P<sub>bep</sub>)</b>	244 Pa
<b>Grease Filtering Efficiency (GFE)</b>	40 %	<b>Measured electric power input at best efficiency point (W<sub>bep</sub>)</b>	105 W
<b>Grease Filtering Efficiency Class (GFEC)</b>	G	<b>Nominal Power consumption of the light system (WL)</b>	8 W
<b>Air flow at minumum speed (Q<sub>min</sub>)</b>	115 m <sup>3</sup> /h	<b>Average illumination of the light on the cooking surface (E<sub>middle</sub>)</b>	70 lux
<b>Air flow at maximum speed (Q<sub>max</sub>)</b>	225 m <sup>3</sup> /h	<b>Sound power level at highest setting (L<sub>wa</sub>)</b>	68 dBA

## Electrical Connection

<b>Plug</b>	Not present	<b>Frequency (Hz)</b>	50 Hz
<b>Electrical connection rating</b>	123 W	<b>Power supply cable length</b>	1000 mm
<b>Voltage</b>	220-240 V		

## Also available

<b>Alternative colours available</b>	White, Grey	<b>Available colours</b>	KSEIR62EB2 - KSEIR62SE2
--------------------------------------	-------------	--------------------------	-------------------------



---

## Compatible Accessories

---

**KITFC31**

Charcoal filters round Kit 1 piece



---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

