

# KSET51E2

Product family Hood

Hood Type Integrated (semi) hood

Design Telescopic
Extraction Extraction
Material Painted ma

MaterialPainted materialEAN code8017709309077

Hood width 50 cm

Aesthetic Universale

Colour Silver

Finishing Silver

Serigraphy colour Black

Logo Silk screen



#### **Controls**

Control setting Slider

### **Program / Functions**

No. of speeds 3

#### **Technical Features**







No. of lights2Anti-grease filtersAluminiumLight typeLEDCharcoal filters includedYesLight Power4 WVent outlet120 mmFree outlet maximum315 m³/hMinimum distance from<br/>650 mm650 mm

capacity GAS hob

Motor power 125 W Minimum distance from 450 mm

No. of filters 2 ELECTRIC hob

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	180	57
Speed 2	220	62
Speed 3	310	67



### Performance / Energy Label

D †

**Annual Efficiency** 70 kWh/aConsumption (AEChood) Energy efficieency class D (EEC) Fluid Dynamic Efficiency 8,1 (FDE) Fluid Dynamic Efficiency E class (FDEC) Lighting Efficiency (LE) 13 lux/W Lighting Efficiency Class D (LEC) **Grease Filtering** 75.1 % Efficiency (GFE) **Grease Filtering** Efficiency Class (GFEC) Air flow at minumum 180 m<sup>3</sup>/h speed (Qmin) Air flow at maximum 310 m<sup>3</sup>/h speed (Qmax)

Airbourne acouistical A- 57 dBA weighted sound Power **Emission at minimum** speed (SPEmin) Airborne acoustical A-67 dBA weighted sound Power **Emission at maximum** speed (SPEmax) Time increase factor (F) 1,7 **Energy Efficiency Index** 91,4 Measured air flow rate 164 m<sup>3</sup>/h at best efficiency point (Qbep) Measured air pressure 183 Pa at best efficiency point (Pbep) Measured electric 103 W power input at best efficiency point (Wbep) **Nominal Power** 8 W consumption of the light system (WL) Average illumination of 100 lux the light on the cooking surface (Emiddle) Sound power level at 67 dBA highest setting (Lwa)

#### **Electrical Connection**

Electrical connection 133 W

rating


Voltage 220-240 V Frequency (Hz) 50 Hz Power supply cable

length

Plug (F;E) Schuko

1000 mm







## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

