

## KSET61E2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Painted material
EAN code	8017709274788
Hood width	60 cm
Aesthetic	Universale
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	120 mm
Free outlet maximum capacity	315 m³/h	Minimum distance from GAS hob	650 mm
Motor power	125 W	Minimum distance from ELECTRIC hob	450 mm


	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	180	57
Speed 2	220	62
Speed 3	310	67

## Performance / Energy Label

	
<b>Annual Efficiency Consumption (AEChood)</b>	70 kWh/a
<b>Energy efficicency class (EEC)</b>	D
<b>Fluid Dynamic Efficiency (FDE)</b>	8,1
<b>Fluid Dynamic Efficiency class (FDEC)</b>	E
<b>Lighting Efficiency (LE)</b>	13 lux/W
<b>Lighting Efficiency Class (LEC)</b>	D
<b>Grease Filtering Efficiency (GFE)</b>	75,1 %
<b>Grease Filtering Efficiency Class (GFEC)</b>	C
<b>Air flow at minumum speed (Qmin)</b>	180 m <sup>3</sup> /h
<b>Air flow at maximum speed (Qmax)</b>	310 m <sup>3</sup> /h
	<b>Airbourne acoustical A- weighted sound Power</b>
	<b>Emission at minimum speed (SPEmin)</b>
	<b>Airborne acoustical A- weighted sound Power</b>
	<b>Emission at maximum speed (SPEmax)</b>
	<b>Time increase factor (F)</b> 1,7
	<b>Energy Efficiency Index</b> 91,4
	<b>Measured air flow rate at best efficiency point (Qbep)</b>
	<b>Measured air pressure at best efficiency point (Pbep)</b>
	<b>Measured electric power input at best efficiency point (Wbep)</b>
	<b>Nominal Power consumption of the light system (WL)</b>
	<b>Average illumination of the light on the cooking surface (Emiddle)</b>
	<b>Sound power level at highest setting (Lwa)</b>

## Electrical Connection

<b>Electrical connection rating</b>	133 W	<b>Power supply cable length</b>	1000 mm
<b>Voltage</b>	220-240 V	<b>Plug</b>	Not present
<b>Frequency (Hz)</b>	50 Hz		





---

## Compatible Accessories

---

**KITFC6191**

Charcoal filter round (kit 2 pieces)



---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.