

# KSET62E

|                   |                        |
|-------------------|------------------------|
| Product family    | Hood                   |
| Hood Type         | Integrated (semi) hood |
| Design            | Telescopic             |
| Extraction        | Extraction             |
| Material          | Painted material       |
| EAN code          | 8017709233044          |
| Hood width        | 60 cm                  |
| Aesthetic         | Universale             |
| Colour            | Silver                 |
| Serigraphy colour | Black                  |
| Logo              | Silk screen            |



## Controls

|                 |         |
|-----------------|---------|
| Control setting | Buttons |
|-----------------|---------|

## Program / Functions

|               |   |
|---------------|---|
| No. of speeds | 3 |
|---------------|---|

## Technical Features

|  |   |                                    |           |
|--|---|------------------------------------|-----------|
|  |  |                                    |           |
| No. of lights  | 2   | No. of filters                     | 2         |
| Light type   | LED   | Anti-grease filters                | Aluminium |
| Light Power  | 3 W   | Vent outlet                        | 120 mm    |
| Light color temperature scale (K)  | 2700 K  | Minimum distance from GAS hob      | 650 mm    |
| Free outlet maximum capacity   | 304 m <sup>3</sup> /h   | Minimum distance from ELECTRIC hob | 500 mm    |
| Motor power  | 115 W   | Non return valve                   | Yes       |

|         | Extraction rate IEC 61591 [m <sup>3</sup> /h] | Noise level IEC 60704-2-13 [dBA] |
|---------|---|----------------------------------|
| Speed 1 | 125   | 46                               |
| Speed 2 | 160   | 48                               |

|            |     |    |
|------------|-----|----|
| Speed<br>3 | 304 | 62 |
|------------|-----|----|

## Performance / Energy Label




|  |                       |  |                       |
|--|-----------------------|--|-----------------------|
| Annual Efficiency Consumption (AEChood)  | 62 kWh/a              | Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin) | 46 dBA                |
| Energy efficiency class (EEC)            | D                     | Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)  | 62 dBA                |
| Fluid Dynamic Efficiency (FDE)           | 10,3                  | Time increase factor (F)   | 1,6                   |
| Fluid Dynamic Efficiency class (FDEC)    | E                     | Measured air flow rate at best efficiency point (Qbep)                         | 198 m <sup>3</sup> /h |
| Lighting Efficiency (LE)                 | 13 lux/W              | Measured air pressure at best efficiency point (Pbep)                          | 187 Pa                |
| Lighting Efficiency Class (LEC)          | D                     | Measured electric power input at best efficiency point (Wbep)                  | 99 W                  |
| Grease Filtering Efficiency (GFE)        | 66 %                  | Nominal Power consumption of the light system (WL)                             | 6 W                   |
| Grease Filtering Efficiency Class (GFEC) | D                     | Average illumination of the light on the cooking surface (Emiddle)             | 78 lux                |
| Air flow at minumum speed (Qmin)         | 125 m <sup>3</sup> /h | Sound power level at highest setting (Lwa)                                     | 62 dBA                |
| Air flow at maximum speed (Qmax)         | 304 m <sup>3</sup> /h |  |                       |

## Electrical Connection

|                              |           |                           |             |
|------------------------------|-----------|---------------------------|-------------|
| Electrical connection rating | 121 W     | Power supply cable length | 1500 mm     |
| Voltage                      | 220-240 V | Plug                      | Not present |
| Frequency (Hz)               | 50-60 Hz  |                           |             |

## Optional accessories

|                 |         |
|-----------------|---------|
| Charcoal filter | KITFC62 |
|-----------------|---------|



---

## Compatible Accessories

---

KITFC62

Charcoal filter round (kit 2 pieces)



---

## Symbols glossary

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.