

KSET62E

Product family Hood

Hood Type Integrated (semi) hood

DesignTelescopicExtractionExtraction

MaterialPainted materialEAN code8017709233044

Hood width 60 cm

Aesthetic Universale
Colour Silver
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight Power3 WVent outlet120 mmLight color temperature2700 KMinimum distance from650 mm

scale (K) GAS hob

Free outlet maximum 304 m³/h Minimum distance from 500 mm

capacity ELECTRIC hob

Motor power 115 W Non return valve Yes

| | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704-2- 13 [dBA] |
|------------|-------------------------------------|--------------------------------------|
| Speed 1 | 125 | 46 |
| Speed 2 | 160 | 48 |



| Speed 304 | 62 |
|-----------|----|
|-----------|----|

Performance / Energy Label

D #

Annual Efficiency 62 kWh/a
Consumption (AEChood)
Energy efficiency class D
(EEC)

Fluid Dynamic Efficiency 10,3 (FDE)

Fluid Dynamic Efficiency E class (FDEC)

Lighting Efficiency (LE) 13 lux/W

Lighting Efficiency Class D (LEC)

Grease Filtering 66 %

Efficiency (GFE)

Grease Filtering D Efficiency Class (GFEC)

Air flow at minumum 125 m³/h

speed (Qmin)

Air flow at maximum

speed (Qmax)

Airbourne acouistical A- 46 dBA

weighted sound Power Emission at minimum speed (SPEmin)

Airborne acoustical A- 62 dBA weighted sound Power

Emission at maximum speed (SPEmax)

Time increase factor (F) 1,6

Measured air flow rate 198 m³/h

at best efficiency point (Qbep)

Measured air pressure 187 Pa

at best efficiency point

(Pbep)

Measured electric power input at best

efficiency point (Wbep)

Nominal Power consumption of the light

system (WL)

Average illumination of

the light on the cooking surface (Emiddle)

Sound power level at highest setting (Lwa)

62 dBA

99 W

6 W

78 lux

Electrical Connection

Electrical connection 121 W

rating

Voltage 220-240 V Frequency (Hz) 50-60 Hz Power supply cable

length

Plug

1500 mm

Not present


Optional accessories

Charcoal filter


KITFC62


304 m³/h













Compatible Accessories

KITFC62

Charcoal filter round (kit 2 pieces)





Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.