

# KSET66E

|                |                        |
|----------------|------------------------|
| Product family | Hood                   |
| Hood Type      | Integrated (semi) hood |
| Design         | Telescopic             |
| Extraction     | Extraction             |
| Material       | Stainless steel        |
| Type of steel  | Brushed                |
| EAN code       | 8017709203436          |
| Hood width     | 60 cm                  |



## Aesthetics

|           |                 |                   |             |
|-----------|-----------------|-------------------|-------------|
| Aesthetic | Universale      | Serigraphy colour | Black       |
| Colour    | Stainless steel | Logo              | Silk screen |
| Finishing | Satin           |                   |             |

## Controls

|                 |        |
|-----------------|--------|
| Control setting | Slider |
|-----------------|--------|

## Programme / Functions

|               |   |
|---------------|---|
| No. of speeds | 3 |
|---------------|---|

## Technical Features

|  |   |                                    |           |
|--|---|------------------------------------|-----------|
|  |  |                                    |           |
| No. of lights  | 2   | Anti-grease filters                | Aluminium |
| Light type   | LED   | Vent outlet                        | 150 mm    |
| Light Power  | 1 W   | Minimum distance from GAS hob      | 750 mm    |
| Free outlet maximum capacity   | 620 m³/h  | Minimum distance from ELECTRIC hob | 650 mm    |
| Motor power  | 140 W   | Non return valve                   | Yes       |
| No. of filters   | 2   |                                    |           |

|         | Extraction rate IEC<br>61591 [m³/h] | Noise level IEC 60704-2-13<br>[dB(A)] |
|---------|-------------------------------------|---------------------------------------|
| Speed 1 | 295                                 | 52                                    |
| Speed 2 | 435                                 | 61                                    |
| Speed 3 | 580                                 | 68                                    |

## Performance / Energy Label




|  |          |  |          |
|--|----------|--|----------|
| Annual Efficiency Consumption (AEChood)  | 78 kWh/a | Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin) | 52 dB(A) |
| Energy efficiency class (EEC)            | C        | Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)  | 68 dB(A) |
| Fluid Dynamic Efficiency (FDE)           | 14.4     | Time increase factor (F)   | 1.5      |
| Fluid Dynamic Efficiency class (FDEC)    | D        | Energy Efficiency Index  | 83.5     |
| Lighting Efficiency (LE)                 | 59 lux/W | Measured air flow rate at best efficiency point (Qbep)                         | 322 m³/h |
| Lighting Efficiency Class (LEC)          | A        | Measured air pressure at best efficiency point (Pbep)                          | 224 Pa   |
| Grease Filtering Efficiency (GFE)        | 76 %     | Measured electric power input at best efficiency point (Wbep)                  | 139 W    |
| Grease Filtering Efficiency Class (GFEC) | C        | Nominal Power consumption of the light system (WL)                             | 2 W      |
| Air flow at minumum speed (Qmin)         | 295 m³/h | Average illumination of the light on the cooking surface (Emiddle)             | 130 lux  |
| Air flow at maximum speed (Qmax)         | 580 m³/h | Sound power level at highest setting (Lwa)                                     | 68 dB(A) |

## Electrical Connection

|                              |           |                           |          |
|------------------------------|-----------|---------------------------|----------|
| Electrical connection rating | 142 W     | Frequency (Hz)            | 50-60 Hz |
| Voltage                      | 220-240 V | Power supply cable length | 1500 mm  |

## Also available

|                               |                            |                   |                                   |
|-------------------------------|----------------------------|-------------------|-----------------------------------|
| Alternative colours available | White, Black, Silver Glass | Available colours | KSET66VBE - KSET66VNE - KSET66VSE |
|-------------------------------|----------------------------|-------------------|-----------------------------------|



---

## Not included accessories

---



KITFC152

Charcoal filters Round Kit 2 pieces

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**C:** Product energy rating



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.