KSET66E2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709346102
Hood width	60 cm
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Slider

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	2
Light type	LED	**Anti-grease filters**	Aluminium
Light Power	1 W	**Vent outlet**	150 mm
Light color temperature (K)	4000 K	**Minimum distance from GAS hob**	650 mm
Free outlet maximum capacity	620 m³/h	**Minimum distance from ELECTRIC hob**	650 mm
Motor power	140 W	**Non return valve**	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	260	47
Speed 2	400	54

Speed 3	610	63

Performance / Energy Label




Annual Efficiency Consumption (AEChood)	79 kWh/a
Energy efficicency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	18,30
Fluid Dynamic Efficiency class (FDEC)	C
Lighting Efficiency (LE)	59 lux/W
Lighting Efficiency Class (LEC)	A
Grease Filtering Efficiency (GFE)	76 %
Grease Filtering Efficiency Class (GFEC)	C
Air flow at minumum speed (Qmin)	260 m³/h
Air flow at maximum speed (Qmax)	610 m³/h
Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	47 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	63 dBA
Time increase factor (F)	1,3
Energy Efficiency Index	74,4
Measured air flow rate at best efficiency point (Qbep)	360 m³/h
Measured air pressure at best efficiency point (Pbep)	300 Pa
Measured electric power input at best efficiency point (Wbep)	164 W
Nominal Power consumption of the light system (WL)	2,2 W
Average illumination of the light on the cooking surface (Emiddle)	130 lux
Sound power level at highest setting (Lwa)	63 dBA

Electrical Connection

Electrical connection rating	162 W
Voltage	220-240 V
Frequency (Hz)	50-60 Hz
Power supply cable length	1500 mm
Plug	Not present

Also available

Alternative colours available	White, Black, Silver Glass
Available colours	KSET66VBE - KSET66VNE - KSET66VSE


ø 149
18
24
224
18
100
260
5
24
100
15
220
260
40
50
598 - 898
50
20
280
10 - 30
0-152

Compatible Accessories



KITFC152

Charcoal filters Round Kit 2 pieces

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

