

# KSET66VSE2

Product family	Hood
Hood Type	Telescopic Cooker Hoods
Design	Telescopic
Extraction	Ducted out or re-circulation possible
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709256937
Hood width	60 cm



## Aesthetics

Aesthetics	Linea	Glass Type	Stopsol
Colour	Stainless steel	Serigraphy colour	White
Finishing	Brushed	Logo	Silk screen

## Controls

Control setting	Slider
-----------------	--------

## Technical Features

		<b>No. of lights</b>	2	<b>Anti-grease filters</b>	Aluminium
		<b>Light type</b>	LED	<b>Vent outlet</b>	150 mm
		<b>Light power</b>	1 W	<b>Minimum distance from GAS hob</b>	650 mm
		<b>Free outlet maximum capacity</b>	620 m <sup>3</sup> /h	<b>Minimum distance from ELECTRIC hob</b>	650 mm
		<b>Motor power</b>	140 W	<b>Non return valve</b>	Yes
		<b>No. of filters</b>	2		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	295	52
Speed 2	435	61

Speed 3	580	68
------------	-----	----

## Performance / Energy Label



Annual Efficiency Consumption (AEChood)	78 kWh/year	Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)	52 dBA
Energy efficiency class (EEC)	C	Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	68 dBA
Fluid Dynamic Efficiency (FDE)	14,4	Time increase factor (F)	1,5
Fluid Dynamic Efficiency class (FDEC)	D	Energy Efficiency Index per first cavity	83,5
Lighting Efficiency (LE)	59 lux/W	Measured air flow rate at best efficiency point (Qbep)	322 m <sup>3</sup> /h
Lighting Efficiency Class (LEC)	A	Measured air pressure at best efficiency point (Qbep)	224 Pa
Grease Filtering Efficiency (GFE)	76 %	Measured electric power input at best efficiency point (Wbep)	139 W
Grease Filtering Efficiency Class (GFEC)	C	Normal Power of the light system (WI)	2 W
Air flow at minumum speed (Qmin)	295 m <sup>3</sup> /h	Average illumination of the light on the cooking surface (Emiddle)	130 lux
Maximum extraction rate	580 m <sup>3</sup> /h	Sound power level at highest setting (Lwa)	68 dBA

## Electrical Connection

Nominal power	142 W	Frequency (Hz)	50-60 Hz
Voltage	220-240 V	Power supply cable length	1500 mm

## Also available

Alternative colours available	White, Black, Stainless steel	Available colours	KSET66VBE2 - KSET66VNE2 - KSET66E
-------------------------------	-------------------------------	-------------------	-----------------------------------



---

## Not included accessories

---

KITFC152

Charcoal filters Round Kit 2 pieces



---

## Symbols glossary

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.