

# KSET6XE2

Product family Hood

Hood Type Integrated (semi) hood

DesignTelescopicExtractionExtractionMaterialStainless steelType of steelBrushed

EAN code 8017709279912

AestheticUniversaleColourSilverSerigraphy colourBlackLogoSilk screen



### **Controls**

Control setting Slider

# **Program / Functions**

No. of speeds 3

### **Technical Features**





No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight Power4 WVent outlet120 mmFree outlet maximum520 m³/hMinimum distance from650 mm

capacity GAS hob

Motor power 230 W Minimum distance from 450 mm

**ELECTRIC hob** 

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	270	53
Speed 2	360	58
Speed 3	500	66



#### Accessories included

Tube reduction Yes

### Performance / Energy Label

-		a.
	ח	7
<b>\</b>		'n

**Annual Efficiency** Airbourne acouistical A- 53 dBA 127 kWh/a Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class D speed (SPEmin) (EEC) Airborne acoustical A-Fluid Dynamic Efficiency 9.8 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) Lighting Efficiency (LE) 16 lux/W **Energy Efficiency Index** Lighting Efficiency Class D Measured air flow rate (LEC) at best efficiency point **Grease Filtering** 75.1 % (Qbep) Efficiency (GFE) Measured air pressure **Grease Filtering** at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 270 m<sup>3</sup>/h Measured electric speed (Qmin) power input at best Air flow at maximum 500 m<sup>3</sup>/h efficiency point (Wbep) speed (Qmax) **Nominal Power** consumption of the light system (WL) Average illumination of

66 dBA

94.8

306 m<sup>3</sup>/h

238 Pa

207 W

8 W

the light on the cooking surface (Emiddle) Sound power level at

highest setting (Lwa)

130 lux

66 dBA


#### **Electrical Connection**

Voltage

Plug Not present Frequency (Hz) 50-60 Hz **Electrical connection** 238 W Power supply cable 1500 mm rating length

220-240 V







# **Compatible Accessories**

### KITFC156



Charcoal filters Kit 2 pieces



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.