

# KSET6XE2

## Product family

Hood Type	Hood
Design	Integrated (semi) hood
Extraction	Telescopic
Material	Extraction
Type of steel	Stainless steel
EAN code	Brushed
Hood width	8017709279912
Aesthetic	60 cm
Colour	Universale
Serigraphy colour	Silver
Logo	Black
	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	120 mm
Free outlet maximum capacity	520 m³/h	Minimum distance from GAS hob	650 mm
Motor power	230 W	Minimum distance from ELECTRIC hob	450 mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	270	53
Speed 2	360	58
Speed 3	500	66

## Accessories included


Tube reduction Yes

## Performance / Energy Label

			
<b>Annual Efficiency Consumption (AEChood)</b>	127 kWh/a	<b>Airbourne acoustical A- weighted sound Power Emission at minimum speed (SPEmin)</b>	53 dBA
<b>Energy efficiency class (EEC)</b>	D	<b>Airborne acoustical A- weighted sound Power Emission at maximum speed (SPEmax)</b>	66 dBA
<b>Fluid Dynamic Efficiency (FDE)</b>	9,8	<b>Time increase factor (F)</b>	1,6
<b>Fluid Dynamic Efficiency class (FDEC)</b>	E	<b>Energy Efficiency Index</b>	94,8
<b>Lighting Efficiency (LE)</b>	16 lux/W	<b>Measured air flow rate at best efficiency point (Qbep)</b>	306 m <sup>3</sup> /h
<b>Lighting Efficiency Class (LEC)</b>	D	<b>Measured air pressure at best efficiency point (Pbep)</b>	238 Pa
<b>Grease Filtering Efficiency (GFE)</b>	75,1 %	<b>Measured electric power input at best efficiency point (Wbep)</b>	207 W
<b>Grease Filtering Efficiency Class (GFEC)</b>	C	<b>Nominal Power consumption of the light system (WL)</b>	8 W
<b>Air flow at minimum speed (Qmin)</b>	270 m <sup>3</sup> /h	<b>Average illumination of the light on the cooking surface (Emiddle)</b>	130 lux
<b>Air flow at maximum speed (Qmax)</b>	500 m <sup>3</sup> /h	<b>Sound power level at highest setting (Lwa)</b>	66 dBA

## Electrical Connection

<b>Electrical connection rating</b>	238 W	<b>Power supply cable length</b>	1500 mm
<b>Voltage</b>	220-240 V	<b>Plug</b>	Not present
<b>Frequency (Hz)</b>	50-60 Hz		





---

## Compatible Accessories

---

**KITFC156**



Charcoal filters Kit 2 pieces

## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

