KSET86LX3



Product family	Hood
Hood Type	Telescopic Cooker Hoods
Design	Visible front panel
Extraction	Ducted out or re-circulation possible
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709333645
Hood width	86 cm
Aesthetics	Universal
Colour	Stainless steel
Finishing	Brushed
Glass Type	Clear
Serigraphy colour	Black
Logo	Silk screen

Controls

Control setting	Slider

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	2
Light type	LED	**Anti-grease filters**	Aluminium
Light power	6 W	**Vent outlet**	120 mm
Light colour temperature scale (K)	2700 K	**Minimum distance from GAS hob**	650 mm
Free outlet maximum capacity	237 m³/h	**Minimum distance from ELECTRIC hob**	500 mm
Motor power	75 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	132	44
Speed 2	165	43

Speed 3	230	53

Accessories Included

Tube reduction	Yes


Performance / Energy Label



Annual Efficiency Consumption (AEChood)	49 kWh/year
Energy efficiency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	8.4
Fluid Dynamic Efficiency class (FDEC)	E
Lighting Efficiency (LE)	20.1 lux/W
Lighting Efficiency Class (LEC)	B
Grease Filtering Efficiency (GFE)	65.1 %
Grease Filtering Efficiency Class (GFEC)	D
Air flow at minumum speed (Qmin)	130 m³/h
Maximum extraction rate	225 m³/h
Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	47 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	55 dBA
Time increase factor (F)	1.7
Energy Efficiency Index per first cavity	84.1
Measured air flow rate at best efficiency point (Qbep)	135 m³/h
Measured air pressure at best efficiency point (Qbep)	160 Pa
Measured electric power input at best efficiency point (Wbep)	72 W
Normal Power of the light system (WI)	6 W
Average illumination of the light on the cooking surface (Emiddle)	121 lux
Sound power level at highest setting (Lwa)	55 dBA

Electrical Connection

Nominal power	81 W
Voltage	220-240 V
Frequency (Hz)	50-60 Hz
Power supply cable length	1500 mm
Plug	No


860
749
864
246
237
140
66
50
280
Ø120
113
146
63
136

Compatible Accessories



KITFC62

Charcoal filter round (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

