

KSET86LX3

Product family	Hood
Hood Type	Telescopic Cooker Hoods
Design	Visible front panel
Extraction	Ducted out or re-circulation possible
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709333645
Hood width	86 cm



Aesthetics

Aesthetics	Universal	Glass Type	Clear
Colour	Stainless steel	Serigraphy colour	Black
Finishing	Brushed	Logo	Silk screen

Controls

Control setting	Slider
-----------------	--------

Programs / Functions

No. of speeds	3
---------------	---

Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light power	6 W	Vent outlet	120 mm
Light colour	2700 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	237 m³/h	Minimum distance from ELECTRIC hob	500 mm
Motor power	75 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	132	44
Speed 2	165	43
Speed 3	230	53

Accessories Included

Tube reduction Yes

Performance / Energy Label



Annual Efficiency Consumption (AEChood) 49 KWh/year

Energy efficiency class (C EEC)

Fluid Dynamic Efficiency (FDE) 8,4

Fluid Dynamic Efficiency class (FDEC) E

Lighting Efficiency (LE) 20,1 lux/W

Lighting Efficiency Class (LEC) B

Grease Filtering Efficiency (GFE) 65,1 %

Grease Filtering Efficiency Class (GFEC) D

Air flow at mininum speed (Qmin) 130 m³/h

Maximum extraction rate 225 m³/h

Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin) 47 dB(A)

Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax) 55 dB(A)

Time increase factor (F) 1,7

Energy Efficiency Index per first cavity 84,1

Measured air flow rate at best efficiency point (Qbep) 135 m³/h

Measured air pressure at best efficiency point (Qbep) 160 Pa

Measured electric power input at best efficiency point (Wbep) 72 W

Normal Power of the light system (WI) 6 W


Average illumination of the light on the cooking surface (Emiddle) 121 lux

Sound power level at highest setting (Lwa) 55 dB(A)

Electrical Connection

Nominal power 81 W
Voltage 220-240 V

Frequency (Hz) 50-60 Hz
Power supply cable length 1500 mm



Not included accessories



KITFC62

Charcoal filter round (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



C: Product energy rating



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.