

KSET900XE

Product family

Hood

Hood Type

Telescopic Cooker Hoods

Design

Telescopic

Extraction

Ducted out or re-circulation possible

Material

Stainless steel

Type of steel

Brushed

EAN code

8017709205379

Hood width

90 cm

Aesthetics

Universal

Colour

Stainless steel

Finishing

Brushed

Serigraphy colour

Black

Logo

Silk screen



Controls

Control setting

Slider

Program / Functions

No. of speeds

3

Technical Features



No. of lights

2

No. of filters

2

Light type

LED

Anti-grease filters

Aluminium

Light power

3 W

Vent outlet

150 mm

Light colour

3500 K

Minimum distance from GAS hob

650 mm

temperature scale (K)

600 m³/h

Minimum distance from ELECTRIC hob

500 mm

Free outlet maximum capacity

175 W

Non return valve

Yes

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	240	44
Speed 2	368	54





Speed 3	581	65
---------	-----	----

Performance / Energy Label

 Annual Efficiency Consumption (AEChood)	75 kWh/year	Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)	44 dBA
Energy efficiency class (B EEC)		Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	65 dBA
Fluid Dynamic Efficiency (FDE)	21	Time increase factor (F)	1.2
Fluid Dynamic Efficiency class (FDEC)	C	Energy Efficiency Index per first cavity	69.4
Lighting Efficiency (LE)	76.1 lux/W	Measured air flow rate at best efficiency point (Qbep)	352 m ³ /h
Lighting Efficiency Class (LEC)	A	Measured air pressure at best efficiency point (Qbep)	354 Pa
Grease Filtering Efficiency (GFE)	76 %	Measured electric power input at best efficiency point (Wbep)	165 W
Grease Filtering Efficiency Class (GFEC)	C	Normal Power of the light system (WI)	4 W
Air flow at minimum speed (Qmin)	240 m ³ /h	Average illumination of the light on the cooking surface (Emiddle)	304 lux
Maximum extraction rate	581 m ³ /h	Sound power level at highest setting (Lwa)	65 dBA

Electrical Connection

Nominal power	215 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	No
Frequency (Hz)	50-60 Hz		





Compatible Accessories

KITFC500



Round Charcoal filters (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.