

# KSET96E

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Visible front panel
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709203481
Hood width	90 cm
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	Anti-grease filters	Aluminium
Light type	LED	Vent outlet	150 mm
Light Power	1 W	Minimum distance from GAS hob	750 mm
Free outlet maximum capacity	620 m <sup>3</sup> /h	Minimum distance from ELECTRIC hob	650 mm
Motor power	140 W	Non return valve	Yes
No. of filters	4		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	295	52
Speed 2	435	61
Speed 3	580	68

## Performance / Energy Label



Annual Efficiency Consumption (AEChood)	78 kWh/a
Energy efficiency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	14,4
Fluid Dynamic Efficiency class (FDEC)	D
Lighting Efficiency (LE)	59 lux/W
Lighting Efficiency Class (LEC)	A
Grease Filtering Efficiency (GFE)	76 %
Grease Filtering Efficiency Class (GFEC)	C
Air flow at mininum speed (Qmin)	295 m <sup>3</sup> /h
Air flow at maximum speed (Qmax)	580 m <sup>3</sup> /h

Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)	52 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	68 dBA
Time increase factor (F)	1,5
Energy Efficiency Index	83,5
Measured air flow rate at best efficiency point (Qbep)	322 m <sup>3</sup> /h
Measured air pressure at best efficiency point (Pbep)	224 Pa
Measured electric power input at best efficiency point (Wbep)	139 W
Nominal Power consumption of the light system (WL)	2 W
Average illumination of the light on the cooking surface (Emiddle)	130 lux
Sound power level at highest setting (Lwa)	68 dBA

## Electrical Connection

Electrical connection rating	142 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	Not present
Frequency (Hz)	50-60 Hz		



---

## Compatible Accessories

---

KITFC152

Charcoal filters Round Kit 2 pieces



---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

