

KSET96E2

Product family Hood

Hood Type Integrated (semi) hood

Design Visible front panel

Extraction Extraction

Material Stainless steel

Type of steel Brushed

EAN code 8017709346119

Aesthetic Universale
Colour Stainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature4000 °KMinimum distance from650 mm

scale (°K) GAS hob

Free outlet maximum 640 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 160 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	260	47
Speed 2	400	54



Speed 3	610	63
------------	-----	----

Performance / Energy Label

	4

Annual Efficiency 78 kWh/a Airbourne acouistical A- 47 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class C speed (SPEmin) (EEC) Airborne acoustical A-63 dBA Fluid Dynamic Efficiency 18,3 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency C speed (SPEmax) class (FDEC) Time increase factor (F) 1,3 Lighting Efficiency (LE) 59 lux/W **Energy Efficiency Index** 74,4 Lighting Efficiency Class A Measured air flow rate 360 m³/h (LEC) at best efficiency point **Grease Filtering** 76 % (Qbep) Efficiency (GFE) Measured air pressure 300 Pa **Grease Filtering** С at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 260 m³/h Measured electric 164 W speed (Qmin) power input at best Air flow at maximum 610 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 2.2 W consumption of the light system (WL) Average illumination of 130 lux the light on the cooking surface (Emiddle)

Electrical Connection


Plug	Not present	Frequency (Hz)	50-60 Hz
Electrical connection rating	162 W	Power supply cable lenath	1500 mm
Voltage	220-240 V	length	

Sound power level at

highest setting (Lwa)

63 dBA







Compatible Accessories

KITFC152

Charcoal filters Round Kit 2 pieces





Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.