

# KSET9MBE2

## Product family

Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709354756
Hood width	90 cm
Aesthetic	Universale
Colour	Matt Black
Serigraphy colour	Silver
Logo	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	120 mm
Light color temperature scale (K)	3000 K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	520 m <sup>3</sup> /h	Minimum distance from ELECTRIC hob	450 mm
Motor power	230 W		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	270	53
Speed 2	360	58

Speed 3	500	66
---------	-----	----

## Accessories included


Tube reduction Yes

## Performance / Energy Label

 	Annual Efficiency Consumption (AEChood)	127 kWh/a	Airbourne acoustical A- weighted sound Power	53 dBA
Energy efficiency class (EEC)	D		Emission at minimum speed (SPEmin)	
Fluid Dynamic Efficiency (FDE)	9,8		Airborne acoustical A- weighted sound Power	66 dBA
Fluid Dynamic Efficiency class (FDEC)	E		Emission at maximum speed (SPEmax)	
Lighting Efficiency (LE)	16 lux/W		Time increase factor (F)	1,6
Lighting Efficiency Class (LEC)	D		Energy Efficiency Index	94,8
Grease Filtering Efficiency (GFE)	75,1 %		Measured air flow rate at best efficiency point (Qbep)	306 m <sup>3</sup> /h
Grease Filtering Efficiency Class (GFEC)	C		Measured air pressure at best efficiency point (Pbep)	238 Pa
Air flow at minimum speed (Qmin)	270 m <sup>3</sup> /h		Measured electric power input at best efficiency point (Wbep)	207 W
Air flow at maximum speed (Qmax)	500 m <sup>3</sup> /h		Nominal Power consumption of the light system (WL)	8 W
			Average illumination of the light on the cooking surface (Emiddle)	130 lux
			Sound power level at highest setting (Lwa)	66 dBA

## Electrical Connection

Electrical connection rating	238 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	Not present
Frequency (Hz)	50 Hz		





---

## Compatible Accessories

---

**KITFC156**



Charcoal filters Kit 2 pieces

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.