

# KSET9XE2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709279943
Hood width	90 cm



## Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------

## Controls

Control setting	Slider
-----------------	--------

## Programs / Functions

No. of speeds	3
---------------	---

## Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	120 mm
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	520 m³/h	Minimum distance from ELECTRIC hob	450 mm
Motor power	230 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	270	53
Speed 2	360	58
Speed 3	500	66

## Accessories Included

Tube reduction Yes

## Performance / Energy Label




**Annual Efficiency Consumption (AEChood)** 127 kWh/a  
**Energy efficiency class (EEC)** D  
**Fluid Dynamic Efficiency (FDE)** 9,8  
**Fluid Dynamic Efficiency class (FDEC)** E  
**Lighting Efficiency (LE)** 16 lux/W  
**Lighting Efficiency Class (LEC)** D  
**Grease Filtering Efficiency (GFE)** 75,1 %  
**Grease Filtering Efficiency Class (GFEC)** C  
**Air flow at minumum speed (Qmin)** 270 m³/h  
**Air flow at maximum speed (Qmax)** 500 m³/h

**Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)** 53 dB(A)  
**Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)** 66 dB(A)  
**Time increase factor (F)** 1,6  
**Energy Efficiency Index** 94,8  
**Measured air flow rate at best efficiency point (Qbep)** 306 m³/h  
**Measured air pressure at best efficiency point (Pbep)** 238 Pa  
**Measured electric power input at best efficiency point (Wbep)** 207 W  
**Nominal Power consumption of the light system (WL)** 8 W  
**Average illumination of the light on the cooking surface (Emiddle)** 130 lux  
**Sound power level at highest setting (Lwa)** 66 dB(A)

## Electrical Connection

**Electrical connection rating** 238 W  
**Voltage** 220-240 V

**Frequency (Hz)** 50 Hz  
**Power supply cable length** 1500 mm



---

## Not included accessories

---



**KITFC156**

Charcoal filters Kit 2 pieces

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**D:** Product energy rating, measured from A+++ to D / G depending on the product family.