

# KSET9XE2

Product family Hood

Hood Type Integrated (semi) hood

DesignTelescopicExtractionExtractionMaterialStainless steelType of steelBrushed

EAN code 8017709279943

Hood width 90 cm

Aesthetic Universale

Colour Silver

Serigraphy colour Black

Logo Silk screen



#### **Controls**

Control setting Slider

## **Program / Functions**

No. of speeds 3

### **Technical Features**





No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight Power4 WVent outlet120 mmLight color temperature3000 KMinimum distance from650 mm

scale (K) GAS hob

Free outlet maximum 520 m³/h Minimum distance from 450 mm

capacity ELECTRIC hob

Motor power 230 W

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	270	53
Speed 2	360	58



Speed 3	500	66
------------	-----	----

### Accessories included

Tube reduction Yes

## Performance / Energy Label

**Annual Efficiency** Consumption (AEChood) Energy efficieency class D

(EEC)

Fluid Dynamic Efficiency 9,8

(FDE)

Fluid Dynamic Efficiency E

Lighting Efficiency Class D

Efficiency (GFE)

**Grease Filtering** С

Air flow at minumum

speed (Qmin)

Air flow at maximum speed (Qmax)

127 kWh/a

class (FDEC)

Lighting Efficiency (LE) 16 lux/W

(LEC) **Grease Filtering** 75,1%

Efficiency Class (GFEC)

270 m<sup>3</sup>/h

500 m<sup>3</sup>/h

Airbourne acouistical A- 53 dBA weighted sound Power

**Emission at minimum** speed (SPEmin)

Airborne acoustical A-66 dBA

weighted sound Power **Emission at maximum** speed (SPEmax)

Time increase factor (F) 1,6 **Energy Efficiency Index** 94.8 Measured air flow rate 306 m<sup>3</sup>/h

at best efficiency point (Qbep)

Measured air pressure 238 Pa

at best efficiency point

(Pbep)

Measured electric 207 W power input at best

efficiency point (Wbep)

**Nominal Power** consumption of the light

system (WL) Average illumination of

the light on the cooking surface (Emiddle)

130 lux

8 W

Sound power level at highest setting (Lwa)

66 dBA

1500 mm

## **Electrical Connection**

**Electrical connection** 238 W

rating


Voltage 220-240 V Frequency (Hz) 50 Hz

Power supply cable

length

Plug Not present







## **Compatible Accessories**

### KITFC156



Charcoal filters Kit 2 pieces



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.