

KSEU912X

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Electronic control	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709207441
Hood width	36 "






Aesthetics

Aesthetic	Universale	Glass Type	Stopsol
Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Logo	Embossed

Controls

			
Control setting	Touch control	Display	Digital
Led color	White		

Programs / Functions

No. of speeds	4
Intensive speed	
24h air filter function	
Time-setting options	

Technical Features

			
No. of lights	3	Anti-grease filters	Stainless steel
Light type	LED		
Light Power	1 W		




Free outlet maximum capacity	441.5 CFM	Filter replacement indicator	Yes
Motor power	330 W	Vent outlet	5 7/8 "
No. of filters	3	Minimum distance from GAS hob	750 "
		Minimum distance from ELECTRIC hob	650 "
		Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	127	47
Speed 2	200	58
Speed 3	235.5	62
Speed 4	294.5	66
Intensive speed	418	75

Electrical Connection

Electrical connection rating	333 W	Frequency (Hz)	60 Hz
Current	2 A	Power supply cable length	1500 "
Voltage	120 V		



Not included accessories



RCKF2

Remote control



KITFC161

Charcoal filters Kit 2 pieces

Symbols glossary (TT)



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Electronic display: to give a visual reminder of the options selected.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



Intensive/turbo setting: when extra fast extraction is required.