KSG52E

Product family	Hood
Hood Type	Integrated hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709275129
Hood width	54 cm
Aesthetic	Universale
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Slider

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	1
Light type	LED	**Anti-grease filters**	Aluminium
Light Power	3 W	**Vent outlet**	120 mm
Light color temperature (K)	2700 K	**Minimum distance from GAS hob**	650 mm
Free outlet maximum capacity	232 m³/h	**Minimum distance from ELECTRIC hob**	500 mm
Motor power	75 W	**Non return valve**	Yes

	Extraction rate IEC 61591 [m³/h]	**Noise level IEC 60704-2-13 [dBA]**
Speed 1	125	45
Speed 2	155	47

Speed 3	224	54


Performance / Energy Label



Annual Efficiency Consumption (AEChood)	50 kWh/a
Energy efficicency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	8,8
Fluid Dynamic Efficiency class (FDEC)	E
Lighting Efficiency (LE)	13 lux/W
Lighting Efficiency Class (LEC)	D
Grease Filtering Efficiency (GFE)	56 %
Grease Filtering Efficiency Class (GFEC)	E
Air flow at minumum speed (Qmin)	125 m³/h
Air flow at maximum speed (Qmax)	224 m³/h
Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	45 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	54 dBA
Time increase factor (F)	1,7
Energy Efficiency Index	84,7
Measured air flow rate at best efficiency point (Qbep)	160 m³/h
Measured air pressure at best efficiency point (Pbep)	145 Pa
Measured electric power input at best efficiency point (Wbep)	74 W
Nominal Power consumption of the light system (WL)	6 W
Average illumination of the light on the cooking surface (Emiddle)	78 lux
Sound power level at highest setting (Lwa)	54 dBA

Electrical Connection

Electrical connection rating	81 W
Voltage	220-240 V
Frequency (Hz)	50-60 Hz
Power supply cable length	1500 mm
Plug	Not present


534,3
299,6
492,5
Ø120
207,8
177
5
26
21,4
256,9
234
101,5

Compatible Accessories



KITFC62

Charcoal filter round (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

