

# KSG52HE

Product family Hood

Hood TypeIntegrated hoodDesignFully integratedExtractionExtraction

MaterialPainted materialEAN code8017709275143

Hood width 54 cm

Aesthetic Universale
Colour Silver
Serigraphy colour Black
Logo Silk screen



### **Controls**

Control setting Slider

## **Program / Functions**

No. of speeds 3

#### **Technical Features**





No. of lights 2 No. of filters 1

Light typeLEDAnti-grease filtersAluminiumLight Power3 WVent outlet120 mmLight color temperature2700 KMinimum distance from650 mm

scale (K) GAS hob

Free outlet maximum 406 m³/h Minimum distance from 500 mm

capacity ELECTRIC hob

Motor power 140 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	288	62
Speed 2	340	66



Speed 3	67
------------	----

### Performance / Energy Label

4	n	Æ"
\ ·		Ď

**Annual Efficiency** 71 kWh/a Airbourne acouistical A- 62 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class D speed (SPEmin) (EEC) Airborne acoustical A-67 dBA Fluid Dynamic Efficiency 11 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 12,1 lux/W **Energy Efficiency Index** 87,3 Lighting Efficiency Class D Measured air flow rate 206 m<sup>3</sup>/h (LEC) at best efficiency point **Grease Filtering** 66 % (Qbep) Efficiency (GFE) Measured air pressure 218 Pa **Grease Filtering** D at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 290 m<sup>3</sup>/h Measured electric 113 W speed (Qmin) power input at best Air flow at maximum 368 m<sup>3</sup>/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 6 W consumption of the light system (WL) Average illumination of 73 lux the light on the cooking surface (Emiddle)

## **Electrical Connection**


Electrical connection	146 W	Frequency (Hz)	50-60 Hz
rating		Power supply cable	
Current		length	
Voltage	220-240 V	Plug	Not present

Sound power level at

highest setting (Lwa)

67 dBA







# **Compatible Accessories**

#### KITFC62

Charcoal filter round (kit 2 pieces)





## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.