

KSG52HE

Product family	Hood
Hood Type	Integrated hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709275143
Hood width	54 cm



Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------



Controls

Control setting	Slider
-----------------	--------

Programme / Functions

No. of speeds	3
---------------	---

Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Aluminium
Light Power	3 W	Vent outlet	120 mm
Light color temperature scale (°K)	2700 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	406 m³/h	Minimum distance from ELECTRIC hob	500 mm
Motor power	140 W	Non return valve	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	288	62
Speed 2	340	66
Speed 3	368	67

Performance / Energy Label




Annual Efficiency Consumption (AEChood) 71 kWh/a
Energy efficiency class (EEC) D
Fluid Dynamic Efficiency (FDE) 11
Fluid Dynamic Efficiency class (FDEC) E
Lighting Efficiency (LE) 12,1 lux/W
Lighting Efficiency Class (LEC) D
Grease Filtering Efficiency (GFE) 66 %
Grease Filtering Efficiency Class (GFEC) D
Air flow at mininum speed (Qmin) 290 m³/h
Air flow at maximum speed (Qmax) 368 m³/h

Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin) 62 dB(A)
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax) 67 dB(A)
Time increase factor (F) 1,6
Energy Efficiency Index 87,3
Measured air flow rate at best efficiency point (Qbep) 206 m³/h
Measured air pressure at best efficiency point (Pbep) 218 Pa
Measured electric power input at best efficiency point (Wbep) 113 W
Nominal Power consumption of the light system (WL) 6 W
Average illumination of the light on the cooking surface (Emiddle) 73 lux
Sound power level at highest setting (Lwa) 67 dB(A)

Electrical Connection

Electrical connection rating 146 W
Voltage 220-240 V
Frequency (Hz) 50-60 Hz



Not included accessories



KITFC62

Charcoal filter round (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



D: Product energy rating, measured from A+++ to D / G depending on the product family.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.