

KSG52HE

Product family Hood

Hood TypeIntegrated hoodDesignFully integratedExtractionExtraction

MaterialPainted materialEAN code8017709275143

AestheticUniversaleColourSilverSerigraphy colourBlackLogoSilk screen



Controls

Control setting Slider

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 1

Light typeLEDAnti-grease filtersAluminiumLight Power3 WVent outlet120 mmLight color temperature2700 °KMinimum distance from650 mm

scale (°K) GAS hob

Free outlet maximum 406 m³/h Minimum distance from 500 mm

capacity ELECTRIC hob

Motor power 140 W Non return valve Yes

| | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704-2- 13 [dBA] |
|------------|-------------------------------------|--------------------------------------|
| Speed 1 | 288 | 62 |
| Speed 2 | 340 | 66 |



| Speed 3 | 67 |
|------------|----|
|------------|----|

Performance / Energy Label

| _ | | - |
|-----|---|---|
| / | n | 7 |
| \ \ | | ń |


Annual Efficiency 71 kWh/a Airbourne acouistical A- 62 dBA Consumption (AEChood) weighted sound Power **Emission at minimum** Energy efficieency class D speed (SPEmin) (EEC) Airborne acoustical A-67 dBA Fluid Dynamic Efficiency 11 weighted sound Power (FDE) **Emission at maximum** Fluid Dynamic Efficiency E speed (SPEmax) class (FDEC) Time increase factor (F) 1,6 Lighting Efficiency (LE) 12,1 lux/W **Energy Efficiency Index** 87,3 Lighting Efficiency Class D Measured air flow rate 206 m³/h (LEC) at best efficiency point **Grease Filtering** 66 % (Qbep) Efficiency (GFE) Measured air pressure 218 Pa **Grease Filtering** D at best efficiency point Efficiency Class (GFEC) (Pbep) Air flow at minumum 290 m³/h Measured electric 113 W speed (Qmin) power input at best Air flow at maximum 368 m³/h efficiency point (Wbep) speed (Qmax) **Nominal Power** 6 W consumption of the light system (WL) Average illumination of 73 lux the light on the cooking surface (Emiddle) Sound power level at 67 dBA

Electrical Connection

| Plug | Not present | Voltage | 220-240 V |
|-----------------------|-------------|----------------|-----------|
| Electrical connection | 146 W | Frequency (Hz) | 50-60 Hz |
| rating | | | |

highest setting (Lwa)







Compatible Accessories

KITFC62

Charcoal filter round (kit 2 pieces)





Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.