

KSG70E

Product family	Hood
Hood Type	Integrated hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709275136
Hood width	73 cm



Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------

Controls

Control setting	Slider
-----------------	--------

Programme / Functions

No. of speeds	3
---------------	---

Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	3 W	Vent outlet	120 mm
Light color temperature scale (°K)	2700 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	232 m³/h	Minimum distance from ELECTRIC hob	500 mm
Motor power	75 W	Non return valve	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	125	45
Speed 2	155	47
Speed 3	224	54

Performance / Energy Label



Annual Efficiency Consumption (AEChood) 50 kWh/a
Energy efficiency class (EEC) C
Fluid Dynamic Efficiency (FDE) 8,8
Fluid Dynamic Efficiency class (FDEC) E
Lighting Efficiency (LE) 13 lux/W
Lighting Efficiency Class (LEC) D
Grease Filtering Efficiency (GFE) 56 %
Grease Filtering Efficiency Class (GFEC) E
Air flow at minumum speed (Qmin) 125 m³/h
Air flow at maximum speed (Qmax) 224 m³/h

Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin) 45 dB(A)
Airborne acouistical A-weighted sound Power Emission at maximum speed (SPEmax) 54 dB(A)
Time increase factor (F) 1,7
Energy Efficiency Index 84,7
Measured air flow rate at best efficiency point (Qbep) 160 m³/h
Measured air pressure at best efficiency point (Pbep) 145 Pa
Measured electric power input at best efficiency point (Wbep) 74 W
Nominal Power consumption of the light system (WL) 6 W
Average illumination of the light on the cooking surface (Emiddle) 78 lux
Sound power level at highest setting (Lwa) 54 dB(A)

Electrical Connection

Electrical connection rating 81 W
Voltage 220-240 V

Frequency (Hz) 50-60 Hz
Power supply cable length 1500 mm

Not included accessories



KITFC62

Charcoal filter round (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



C: Product energy rating



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.