

# KSLS10X



<b>Product family</b>	Hood
<b>Hood Type</b>	Decorative island hood
<b>Design</b>	Suspended
<b>Extraction</b>	Recirculation
<b>Electronic control</b>	Yes
<b>Perimeter extraction</b>	Yes
<b>Material</b>	Aluminium
<b>Type of steel</b>	Brushed
<b>EAN code</b>	8017709351878
<b>Hood width</b>	100 cm
<b>Aesthetic</b>	Isola
<b>Colour</b>	Stainless steel
<b>Finishing</b>	Satin
<b>Glass Type</b>	Black
<b>Serigraphy colour</b>	Grey
<b>Logo</b>	Silk screen



## Controls

<b>Control setting</b>	Touch on metal	<b>Led color</b>	White
------------------------	----------------	------------------	-------

## Program / Functions

<b>No. of speeds</b>	3
<b>Intensive speed</b>	
<b>24h air filter function</b>	
<b>Other functions</b>	Delay_function
<b>Time-setting options</b>	
<b>Auto-vent 2.0</b>	
<b>H-Condense System</b>	Yes

## Technical Features



<b>No. of lights</b>	2	<b>Motor power</b>	39 W
<b>Light type</b>	LED	<b>No. of filters</b>	2
<b>Light Power</b>	36 W	<b>Anti-grease filters</b>	Aluminium
<b>Dimmer mode</b>	Yes	<b>Filter replacement indicator</b>	Yes
<b>Light color temperature range</b>	2700 - 6500 K	<b>Minimum distance from GAS hob</b>	650 mm

Free outlet maximum capacity 650 m<sup>3</sup>/h

Minimum distance from ELECTRIC hob 550 mm

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	120	45
Speed 2	200	58
Speed 3	420	65
Intensive speed	650	73

## Accessories included

Remote control Yes

Charcoal filters included Yes regenerable

## Performance / Energy Label

Nominal Power consumption of the light system (WL) 18 W

Average illumination of the light on the cooking surface (Emiddle) 300 lux

## Electrical Connection

Battery type Alkaline-Manganese Dioxide (Zn/MnO<sub>2</sub>)

Frequency (Hz) 50-60 Hz

Electrical connection rating 291 W

Power supply cable length 3500 mm


Voltage 220-240 V

Plug Not present

## Also available

Alternative colours available Matt Black

Available colours KSL10MB



## Alternative products

---



**KSLS10MB**

Colour: Matt Black

---

## Symbols glossary

---



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Connection between hob and hood



Dimmering Lights



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Perimeter extraction panels: very efficient and aid noise reduction.